



AWNINGS, PRIVACY SCREENS  
& ANNEXE WALL SYSTEMS



NEW RELEASE  
DOMETIC PERFECTROOF

.....  
INSPIRED BY COMFORT


# DOMETIC BOX AWNINGS

**NEW!** DOMETIC PerfectWall & PerfectRoof Box awnings are compact and lightweight and come in various lengths to suit most RV, vehicle and camper applications. Engineered with extra strong arms and supports for optimal fabric tension and resistance against wind.

Available in manual and optional integrated 12 volt motor (with manual override) on some models.

### SUPERIOR QUALITY FABRIC

Designed with UV resistant 3 ply polyester reinforced vinyl fabric with waterproof welded rope seams. The Dometic Box awnings are rot proof and can be put away damp without fear of damaging the fabric. Available in horizon grey and blue fabric colours, with white or anthracite grey casings.




## DOMETIC POWER AWNING

PREMIUM QUALITY WITH 12 VOLT ELECTRIC CONVENIENCE

If simplicity is what you desire, look no further than the Dometic Power Awning. The Dometic Power Awning brings the convenience of a 12 volt motor-driven awning to the recreational enthusiast.

- With the simple press of the wall-mounted switch, the Dometic Power Awning opens and retracts with ease
- Suitable for the majority of motorhomes and caravans
- 13 oz. 3-ply polyester reinforced vinyl fabric



<b>Technical data</b>	Dometic Power awning
<b>Type of awning</b>	12 volt press button powered roll in and out
<b>Fabric</b>	13 oz. 3-ply polyester reinforced vinyl
<b>Weathershield</b>	White
<b>Hardware</b>	A&E white power hardware
<b>Roller tube</b>	Extruded alloy one piece heavy duty roller tube
<b>Extension</b>	approx. 8 feet (2.44 m)
<b>Lengths</b>	12' to 21' (3.66 to 6.4 m) in one-foot (0.305 m) increments



### Quality vinyl fabric

- Horizon colour pattern on both sides
- White weather shield
- Clear acrylic coating resists scratching, fading, mildew and staining
- UV protected

<b>Technical data</b>	Dometic 8500
<b>Type of awning</b>	Semi automatic roll-up
<b>Fabric</b>	13 oz. 3-ply polyester reinforced vinyl
<b>Weathershield</b>	Colour co-ordinated vinyl
<b>Hardware</b>	A&E black or white heavy duty universal hardware
<b>Roller tube</b>	Extruded alloy one piece heavy duty roller tube
<b>Extension</b>	approx. 8 feet (2.44 m)
<b>Lengths</b>	8' to 25' (2.44 to 7.62 m) in one-foot (0.305 m) increments




### Quality vinyl fabric

- Linen fade colour pattern on both sides
- Weather-shield colour matches valance
- Clear acrylic coating resists scratching, fading, mildew & staining
- UV protected

## Wall & roof mount manual or 12 volt retractable arms



- 12 volt or manual operation with telescopic crank
- Solid retractable arms to provide optimal tension & resistance against wind
- Fabric is 13 oz. 3-ply polyester reinforced vinyl in horizon blue and grey
- Corrosion resistant powder coated profile in white or anthracite grey



### DOMETIC PerfectWall 1000

- Robust wall mounted awning
- Projection 2.5 m
- Plastic end caps
- 3 - 4 m lengths

### DOMETIC PerfectRoof 2000

- Lightweight roof mounted awning
- Projection of 2.5 m
- Plastic end caps
- 3 - 4 m lengths

### DOMETIC PerfectWall 1500

- Robust wall mounted awning
- Projection of 2 - 2.5 m
- Aluminium end caps
- 2.6 - 6 m lengths

### DOMETIC PerfectRoof 2500

- Robust roof mounted awning
- Projection of 2.5 m
- Aluminium end caps
- 3.5 - 5.5 m lengths

**COLOURS** The colour in this chart should be used as a guide only. For exact fabric colour, see your Dometic dealer.

**COLOURS** The colour in this chart should be used as a guide only. For exact fabric colour, see your Dometic dealer.



## DOMETIC 8300 SUNCHASER

### EASY ONE-PERSON OPERATION

Not only is the 8300 Sunchaser a great looking awning, it's real value as well. This big, bold and durable awning has all the famous A&E quality that RV enthusiasts have trusted for years. It's heavy-duty, polyester reinforced vinyl fabric features a beautiful polar horizon pattern on the top only (on both sides of granite). Available in three popular colours, this product can be purchased at a very affordable price.

- Ergonomically designed lock knobs
- Exclusive patented PermaLoop™ pull strap
- One person can easily open or close the awning
- Cam lock system holds the awning secure and gives total operator control
- Partial or full approx. 8-foot extension in carport or patio position
- Positive-action foot-and-bracket system which allows the lock or release of the support arm in one easy motion



Vinyl cushioned lift handle for easy, one handed operation.



<b>Technical data</b>	Dometic 8300
<b>Type of awning</b>	Semi automatic roll-up
<b>Fabric</b>	13 oz. 3-ply polyester reinforced vinyl
<b>Weathershield</b>	White or Granite splash
<b>Hardware</b>	A&E black or white heavy duty 8300 universal hardware
<b>Roller tube</b>	Extruded alloy one piece heavy duty roller tube
<b>Extension</b>	approx. 8 feet (2.44 m)
<b>Lengths</b>	10' to 16' (3.05 to 4.876 m) in one-foot (0.305 m) increments for cranberry & blue. Granite and Granite splash available in 7' to 21' (2.133 to 6.4 m)

#### Polar cranberry



#### Polar blue steel



#### Granite



#### Granite Splash



**COLOURS** The colour in this chart should be used as a guide only. For exact fabric colour, see your Dometic dealer.

#### Quality vinyl fabric

- Clear acrylic coating resists scratching, fading, mildew and staining
- Dynamic designer colours in wide selection
- Decorative colour coordinated valance
- UV protected

## ACCESSORIES

### Dometic A&E Tension Rafter System




Supports and stabilises the awning - open or closed. Keeps canopy in correct tension automatically. Available as a complete system or purchase separately. Tension rafter systems are recommended on awnings 20 feet long and over.

Product	Ref. No.
Optima System - Polar white (tension rafter with centre support)	930039.500B
Optima System - Black (tension rafter with centre support)	930039.500U
Tension rafter - Polar white (without centre support)	930042.500B
Tension rafter - Black (without centre support)	930042.500U
Centre support - Polar white	930043.500B
Centre support - Black	930043.500U

### HARDWARE TO SUIT AWNING MODELS

Product	Ref. No.
Tall white universal hardware	8483004.401B
Short white universal hardware	8483004.402B
Tall black universal hardware	8483004.401U
Short black universal hardware	8483004.402U
Ultra short white universal hardware	8483004.403B
Toyota coaster white hardware	838100D.999W
Mazda curved white hardware	838100D.888W
Power awning white hardware	8952002.400B
Power awning switch kit	3310455.062
Power awning rafter set	PC Rafter

### Dometic A&E Automatic Cradle Support



The A&E Automatic Cradle Support is designed to provide support when the awning is in the rolled up position.

Required for 17 ft and larger awnings.

Product	Ref. No.
Automatic twin pad cradle support white	930065B
Automatic twin pad cradle support black	930065U



# DOMETIC PRIVACY SCREENS



CONVENIENT PRIVACY THAT IS QUICK & EASY TO INSTALL

Constructed of grey heavy duty shade cloth, Dometic Privacy Screens are approximately 1.95 m deep and have black kedar at the top to suit Power Awning, 8500 and 8300 awnings.

Available in various lengths to suit both your awning and lifestyle, Dometic Privacy screens are easy to install. They will provide you with privacy when staying in crowded places, as a windbreak or protection from the sun, with ample ventilation.

- Approx. 1.95 m deep
- Colour grey, approx. 90% shade
- Black kedar at top to suit A&E 12 volt, 8500 and Sunchaser 8300 awnings
- Privacy and comfort
- Shade and ventilation
- Extreme solar protection
- Eyelets along the bottom
- Easy installation
- Perfect windbreak
- 2 year replacement warranty



Product	Ref. No.
Privacy screen 2450 mm (8')	SB-SC-80010
Privacy screen 2750 mm (9')	SB-SC-90020
Privacy screen 3050 mm (10')	SB-SC-10030
Privacy screen 3360 mm (11')	SB-SC-11040
Privacy screen 3660 mm (12')	SB-SC-12050
Privacy screen 3970 mm (13')	SB-SC-13060
Privacy screen 4270 mm (14')	SB-SC-14070
Privacy screen 4580 mm (15')	SB-SC-15080
Privacy screen 4880 mm (16')	SB-SC-16090
Privacy screen 5190 mm (17')	SB-SC-17010
Privacy screen 5490 mm (18')	SB-SC-18020
Privacy screen 5800 mm (19')	SB-SC-19030
Privacy screen 6100 mm (20')	SB-SC-20040



## DOMETIC ANNEX WALL SYSTEMS



Fully modular and adjustable system – windows and doors can be reconfigured to suit your requirements and weather conditions.

The fully adjustable wedge allows you to adjust the roof height regardless of ground conditions. Ideal for sloping or uneven sites.

Suitable for all weather conditions, the Dometic Annexe wall systems feature lightweight, durable and long wearing materials. Whether exploring the hot Australian outback or relaxing in a serene rainforest, Dometic Annexe wall systems will withstand the harshest of conditions with mildew resistance and high UV protection on the fabric.

Featuring a fully modular and versatile design, the Dometic Annexe wall systems come with an adjustable wedge, allowing you to change the roof height depending on ground conditions. Weighing in at approximately 30% lighter than traditional canvases, the wall system is quick and easy to assemble, giving you more time to sit back and relax. With additional doors, windows and individual panels readily available, reconfigurations to suit your set up requirements are a breeze.

- Designed for Australian conditions
- 2 year full warranty
- Universal fitment
- All parts and components readily available
- Approx. 30% lighter than traditional canvas
- Heavy duty premium fabric (100% polyester)
- Mildew resistant with high UV content on fabric
- Additional windows & doors can be added at any time
- Fully adjustable system for all weather & site conditions
- Easily adaptable to fit any size awning

### Set up in these easy steps:



## DOMETIC Annexe wall systems

### Modular annexe wall systems

Modular annexe system to suit 8' awning with 600mm draft skirt	MAS-0007-KIT-600
Modular annexe system to suit 8' awning with 800mm draft skirt	MAS-0007-KIT-800
Modular annexe system to suit 9' awning with 600mm draft skirt	MAS-0008-KIT-600
Modular annexe system to suit 9' awning with 800mm draft skirt	MAS-0008-KIT-800
Modular annexe system to suit 10' awning with 600mm draft skirt	MAS-0009-KIT-600
Modular annexe system to suit 10' awning with 800mm draft skirt	MAS-0009-KIT-800
Modular annexe system to suit 11' awning with 600mm draft skirt	MAS-0010-KIT-600
Modular annexe system to suit 11' awning with 800mm draft skirt	MAS-0010-KIT-800
Modular annexe system to suit 12' awning with 600mm draft skirt	MAS-0011-KIT-600
Modular annexe system to suit 12' awning with 800mm draft skirt	MAS-0011-KIT-800
Modular annexe system to suit 13' awning with 600mm draft skirt	MAS-0012-KIT-600
Modular annexe system to suit 13' awning with 800mm draft skirt	MAS-0012-KIT-800
Modular annexe system to suit 14' awning with 600mm draft skirt	MAS-0013-KIT-600
Modular annexe system to suit 14' awning with 800mm draft skirt	MAS-0013-KIT-800
Modular annexe system to suit 15' awning with 600mm draft skirt	MAS-0014-KIT-600
Modular annexe system to suit 15' awning with 800mm draft skirt	MAS-0014-KIT-800
Modular annexe system to suit 16' awning with 600mm draft skirt	MAS-0015-KIT-600

## DOMETIC Annexe wall systems (cont)

Modular annexe system to suit 16' awning with 800mm draft skirt	MAS-0015-KIT-800
Modular annexe system to suit 17' awning with 600mm draft skirt	MAS-0016-KIT-600
Modular annexe system to suit 17' awning with 800mm draft skirt	MAS-0016-KIT-800
Modular annexe system to suit 18' awning with 800mm draft skirt	MAS-0017-KIT-800
Modular annexe system to suit 19' awning with 800mm draft skirt	MAS-0018-KIT-800*
Modular annexe system to suit 20' awning with 800mm draft skirt	MAS-0019-KIT-800*
Modular annexe system to suit 21' awning with 800mm draft skirt	MAS-0020-KIT-800*
Modular annexe system to suit 22' awning with 800mm draft skirt	MAS-0021-KIT-800*
Modular annexe system to suit 23' awning with 800mm draft skirt	MAS-0022-KIT-800*
Modular annexe system to suit 24' awning with 800mm draft skirt	MAS-0023-KIT-800*
Modular annexe system to suit 25' awning with 800mm draft skirt	MAS-0024-KIT-800*
5th wheeler modular annexe system to suit 12' awning with draft skirt	5W-MAS-0011
5th wheeler modular annexe system to suit 13' awning with draft skirt	5W-MAS-0012
5th wheeler modular annexe system to suit 14' awning with draft skirt	5W-MAS-0013
5th wheeler modular annexe system to suit 15' awning with draft skirt	5W-MAS-0014
5th wheeler modular annexe system to suit 16' awning with draft skirt	5W-MAS-0015
5th wheeler modular annexe system to suit 17' awning with draft skirt	5W-MAS-0016
Motorhome & Bus modular annexe system to suit 12' awning with draft skirt	MO-MAS-0011
Motorhome & Bus modular annexe system to suit 13' awning with draft skirt	MO-MAS-0012
Motorhome & Bus modular annexe system to suit 14' awning with draft skirt	MO-MAS-0013
Motorhome & Bus modular annexe system to suit 15' awning with draft skirt	MO-MAS-0014
Motorhome & Bus modular annexe system to suit 16' awning with draft skirt	MO-MAS-0015
Motorhome & Bus modular annexe system to suit 17' awning with draft skirt	MO-MAS-0016

Anti flap kit rails and sale track not included. \*Includes draft skirt extension.

### Annexe wall accessories

Pop top insert	SB-PTFI-500
Awning half window with flywire	CMS-AO-110W
Awning door with flywire	CMS-AO-110D
Awning wall 7' with flywire window	CMS-AO-0213
Modular wall panel 1'	CMS-AO-0300
Modular wall panel 2'	CMS-AO-0600
Modular wall panel 3'	CMS-AO-0900
Modular wall rail upright left	CMS-AO-LU230
Modular wall rail upright right	CMS-AO-RU250
Modular wall roof wedge left	CMS-AW-L226
Modular wall roof wedge right	CMS-AW-R228
5th Wheeler modular wall rail upright left	5W-CMS-AO-LU230
5th Wheeler modular wall rail upright right	5W-CMS-AO-RU250
Motorhome & Bus modular wall rail upright left	MO-CMS-AO-LU230
Motorhome & Bus modular wall rail upright right	MO-CMS-AO-RU250
5th wheeler modular wall roof wedge left	5W-CMS-AW-L226
5th wheeler modular wall roof wedge right	5W-CMS-AW-R228
Motorhome & Bus modular wall roof wedge left	MO-CMS-AW-L226
Motorhome & Bus modular wall roof wedge right	MO-CMS-AW-R228

### Draft skirt extensions

Draft skirt ext 1' + Stud pack	SB-DSE-010
Draft skirt ext 2' + Stud pack	SB-DSE-020
Draft skirt ext 3' + Stud pack	SB-DSE-030
Draft skirt ext 7' + Stud pack	SB-DSE-070

### Annexe hardware accessories

Anti flap kit rail, Medium	AFK-M
Anti flap kit rail, Long	AFK-L
Optima tension rafter without centre support	930042.500B
Optima tension rafter with centre support	930039.500B



Dometic Group is a customer-driven, world-leading provider of leisure products for the RV, automotive, truck and marine markets. We supply the industry and aftermarket with a complete range of air conditioners, refrigerators, awnings, cookers, sanitation systems, lighting, mobile power equipment, comfort and safety solutions, windows, doors and other equipment that make life more comfortable away from home.

Dometic Group supplies a wide range of workshop equipment for service and maintenance of built-in air conditioners. Dometic Group also provides specially designed refrigerators for hotel rooms, offices, wine storage and transport and storage of medical products. Our products are sold in almost 100 countries and are produced mainly in wholly-owned production facilities around the world.

## AUSTRALIA

### Dometic Australia, Queensland 1

1 John Duncan Court  
Varsity Lakes QLD 4227  
Phone: +61 (0)7 5507 6000  
Fax: +61 (0)7 5507 6001

### Dometic Australia, Queensland 2

2/129 South Pine Road  
Brendale QLD 4500  
Phone: +61 (0)7 3205 7599  
Fax: +61 (0)7 3881 1409

### Dometic Australia, Victoria 1

Bldg 3B, Clayton Business Park  
1508 Centre Rd, Clayton VIC 3168  
Phone: +61 (0)3 9239 1000  
Fax: +61 (0)3 9239 1099

### Dometic Australia, Victoria 2

10 Metrolink Circuit  
Campbellfield VIC 3061  
Phone: +61 (0)3 9239 1000  
Fax: +61 (0)3 9303 9084

### Dometic Australia, Western Australia

12 Prosperity Ave  
Wangara WA 6065  
Phone: +61 (0)8 9303 3555  
Fax: +61 (0)8 9303 3577

### Dometic Australia, South Australia

954 Port Road  
Albert Part SA 5014  
Phone: +61 (0)8 8345 8444  
Fax: +61 (0)8 8243 0628

### All Locations

E-mail: [sales@dometic.com.au](mailto:sales@dometic.com.au)  
Web: [www.dometic.com.au](http://www.dometic.com.au)  
Facebook: [www.facebook.com/DometicWaecoAustralia](http://www.facebook.com/DometicWaecoAustralia)

Your retailer:

**FREECALL: 1800 21 21 21**